




Thales Firewood

Instructions Manual




INDEX


Material supplied	4
Components	4
Safety Precautions	5
Ventilation	5
Cautions	5
Fuel	7
Coal and Wood – The Right Fuel	7
Installation	8
Flammable Materials	8
Materials: stone/metal/ceramic	8
Installation Procedure	9
Operation	16
Maintenance	17
General Dimensions	17
After Sales Service	18

MATERIAL SUPPLIED

1. 1x Hood
2. 1x Ceiling fixing set
3. 6x Screw with dowel;
4. 1x Finishing mirror;
5. 2x Handle for combustion zone grate;
6. 1x Lower Part;
7. 1x Combustion Zone Rim
8. 1x Ashtray
9. 1x Grate



COMPONENTS



1. Ceiling fixing;
2. Hood;
3. wood-burning area;
4. Lower part of the fireplace;

SAFETY PRECAUTIONS

Ventilation

It is advisable to keep the room well ventilated to ensure a healthy oxygen level. Ensure that the appliance is used outdoors.

Cautions:

GlammFire is concerned about your safety and has therefore taken every measure during design, manufacture, assembly and transport to ensure that it operates effectively.

You are therefore requested to follow the assembly, use and maintenance instructions carefully:

- Maintain good supervision while the fire pit/barbecue is in operation;
- Keep children and animals away from the fire pit/barbecue. Children cannot recognise danger. Therefore, ensure that children are at an appropriate safety distance; keep an eye on children while the fire pit/barbecue is in operation;
- DO NOT use the fire pit/barbecue for internal heating. Carbon monoxide fumes are toxic and can accumulate causing suffocation;
- Make sure that the fire pit/barbecue is installed on a flat, non-combustible surface;
- Before using the fire pit/barbecue, make sure that all parts are correctly installed and properly tightened;
- The fire pit/barbecue is not intended for commercial use;
- The fire pit/barbecue must NOT be used on boats or recreational vehicles;
- Always be aware when using a GlammFire fire pit/barbecue to do so in accordance with all applicable local, state and national codes. Contact your local fire service for details on the use of this type of appliance;
- Warning: When operating, the GlammFire fire pit/barbecue can reach very high temperatures in the combustion and peripheral areas. Therefore, avoid touching them. Areas of potential skin contact can cause burns;
- In the event of a fire, use a fire blanket; Do not use water to extinguish the flame;
- Do not use chemical products to clean the fireplace, as they may damage the materials. If in doubt, contact the distributor;
- Do not attempt to move the appliance during operation;

- Do not wear flammable or loose clothing when using the GlammFire fire pit/barbecue, as this can lead to very dangerous situations for the user.
- Do not use the GlammFire fire pit/barbecue in hazardous conditions;
- Do not store or use petrol or any other flammable vapours or liquids in the vicinity of the GlammFire fire pit/barbecue;
- Do not use the GlammFire fire pit/barbecue near cars, lorries, recreational vehicles, or any other type of vehicle;
- Never ignite with petrol or any other equally flammable liquid;
- Make sure the GlammFire fire pit/barbecue cools down completely before cleaning it;
- Use only certified firelighters to ignite the fire;
- It is completely inadvisable to use the GlammFire fire pit/barbecue after or while drinking alcoholic beverages or taking medication that could impair the user's visual or intellectual capacity;
- Use appropriate long utensils to handle (add or move) firewood and embers;
- Do not add excess fuel, use only what is recommended in the chapter on use;
- Never lean over the combustion zone during ignition or even during operation of the GlammFire fire pit/barbecue;
- The GlammFire fire pit/barbecue must be carefully inspected and cleaned regularly. To do this, carefully read the
- Maintenance section of this manual.
- After a period of storage and/or non-use, check the condition of the GlammFire fire pit/barbecue and do not use it until you have checked that it is clean and in perfect working

Fuel

Charcoal and Wood—The right Fuel

The firepit/barbecue with wood option is designed to work with charcoal or wood. Other fuels are not recommended.

The use of any other combustible material is not recommended

Note: do not burn newspapers, cardboard, magazines... The firepit/ barbecue is not an incinerator.

Installation

Flammable materials


- Do not place flammable materials around the fire pit/barbecue, within 5 metres;
- Trees and shrubs as well as any other vegetation should be 10 metres away from the combustion zone;

Materials: stone/metal/ceramic

- A - 1000 mm;
- B - 1500 mm;

Other non-flammable materials

- A - 1500 mm;
- B - 2000 mm;



Installation procedure

At least two people are required for this procedure.

The Thales wood-burning fireplace is designed to be installed in rooms with a ceiling height of 2500mm. A chimney is required for smoke extraction, where Glammfire recommends a smoke extraction system (e.g. draught excluder) for best efficiency.

Note: If the ceiling height of the room where the fireplace is to be installed is greater than 2700mm (106.3 in; 8.86 ft), you have the option of adding a 500mm (19.7 in; 1.64 ft) pipe.

Screw the fireplace to the ceiling in the desired location, using the screws best suited to the surface to be installed.




Figure 1 - Top part to screw to the ceiling

Warning:

The ceiling must have a structure strong enough to support the weight of the model. It is not permitted to place any additional weight on the fireplace.

Assemble the body assembly by fitting the tube (D) into the hood (E). Then fit the components (G, H, I and J) as shown in figures 2 and 3. It is important to follow the order of the components: washer (H), 3 x spacers (I) inside the bearing (J), washer (H), nut (G) and lock nut (G). The nuts are tightened with the spanner provided (F), making sure that the first nut is securely tightened, allowing the assembly to rotate.

Note: If the assembly does not rotate, slightly ease the pressure on the nuts.




Figure 2- Representation of the assembly




Figure 3- Order of assembly




Figure 4- Representation of the assembly

Assemble the hood, adjust and secure it with the screws supplied in the respective holes.




Figure 5 - Representation of the upper hood




Figure 6- Representation of the hood fixed

Place the lower part of the fireplace in line with the hood and turn both so that it looks like figure 11.

To move the lower part of the model, use the base of the model as a support and not the inner parts of the base (Figure 10).




Figure 7- Lower part of the fireplace






Figure 8- Movement of the lower part of the model.



Place the rubber base on the underside of the fireplace to prevent damage to the floor.



WARNING: Align the burner doors with the fireplace doors using the holes in the fireplace as a guide, before tightening the burner to the fireplace.




Figure 9- Representation of the sequential assembly of the combustion zone




Figure 10- Representation of the fully assembled fireplace

OPERATING INSTRUCTIONS

Example of fireplace rotation (360° in both directions)




Figure 13 - Rotation of the lower part




Figure 14 - Top rotation

Note: Any kind of handling of the fireplace should be done with a protective glove, to avoid any kind of accident due to the high temperature of the fireplace.


MAINTENANCE

- The fire pit/barbecue area must be cleaned after each use. Residues resulting from burning must be removed so that combustion is perfect with each use.
- Never use chemical products that are not suitable for cleaning stainless steel;
- Do not use steel wool or abrasive sponges. They can scratch the surface;
- Food preparation utensils should be cleaned after each use with neutral pH detergents and then rinsed thoroughly so that no residue remains.

- GlammFire cannot be held responsible for any damage resulting from incorrect and/or fraudulent use of the product. Nor can GlammFire be held responsible for failure to observe the cleaning instructions or the application and/or use of any other cleaning techniques;

Note: Failure to comply with the above rules cancels any factory guarantee on all models or fireplaces, and the customer loses the right to demand a repair under the guarantee.

DIMENSIONS



AFTER-SALES SERVICE

In the event of an anomaly, ask a specialised technician for advice.

GlammFire fireplaces are manufactured under strict supervision and recognised worldwide by the ISO 9001:2015 Quality Management System Certification. Developed by specialised technicians who take pride in their work, GlammFire fireplaces incorporate high-quality components and materials.

Once assembled, the fireplaces are inspected by a qualified technician before being packaged. This way we can guarantee that you receive the product of the desired quality.

GlammFire is constantly concerned about the environment. This is reflected in the design of its products and their packaging. Focusing on reducing energy consumption, raw materials, natural resources and the amount of waste generated, GlammFire follows the 4R's policy (Reduce, Reuse, Recycle and Recover).

As such, GlammFire always keeps in mind the use of long-lasting products, as well as reusable and recyclable products.

GlammFire recommends reusing Glammfire packaging and disposing of plastic, paper, cardboard and glass separately in the appropriate recycling bins.

'In nature, nothing is created, nothing is lost, everything is transformed.'

Antoine Laurent de Lavoisier



Glammfire, Lda.

Zona Industrial da Lagoa, Lote G1

4950-850 CORTES - MONÇÃO PORTUGAL

Tel(+351) 251 654 800

Fax(+351) 251 654 801

info@glammfire.com

www.glammfire.com